



MEDICAL POLICY STATEMENT

TrueCare

Policy Name & Number	Date Effective
Saphenous Vein Ablation, Adhesive Injection-TrueCare-MM-1725	07/01/2025
Policy Type	
MEDICAL	

Medical Policy Statements are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased, or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage or Certificate of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other plan policies and procedures.

Medical Policy Statements do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage or Certificate of Coverage) for the service(s) referenced in the Medical Policy Statement. Except as otherwise required by law, if there is a conflict between the Medical Policy Statement and the plan contract, then the plan contract will be the controlling document used to make the determination.

According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

Table of Contents

A. Subject.....	2
B. Background.....	2
C. Definitions.....	2
D. Policy.....	3
E. Conditions of Coverage.....	4
F. Related Policies/Rules.....	4
G. Review/Revision History.....	4
H. References.....	4

A. Subject**Saphenous Vein Ablation, Adhesive Injection****B. Background**

Varicose veins (varicosities) are dilated, thickened, elongated, and twisted blood vessels that may appear threadlike or as large grape-like clusters under the skin, most often on the legs. Varicose veins are considered a sign of chronic venous insufficiency, a condition characterized by dysfunction of the valves in veins leading to increased blood pressure, blood pooling, and venous reflux in affected areas. Varicose veins may be asymptomatic, or the associated venous insufficiency may cause symptoms such as heaviness, aching, numbness, swelling, and ulceration of the affected limb. In addition, risk is increased for thrombophlebitis, deep vein thrombosis (DVT), and pulmonary embolism.

Approximately 25 million adults in the United States are affected by varicose veins. This condition can have a significant impact on patients' quality of life (QoL) and increase the health care burden with an estimated \$1 billion incurred annually for treatment in the United States. Conservative therapy includes weight reduction, exercise and prescribed physical activity (walking, treadmill, cycling), periodic leg elevation and compressive therapy with use of surgical grade compression stockings. Non-surgical treatment for this condition includes radiofrequency ablation (RFA) and endovenous laser ablation (EVLA).

A third, more recent treatment method is Cyanoacrylate Adhesive Closure (CAC), a catheter-directed procedure that seals the saphenous vein without the use of tumescent anesthesia. It involves the endovenous delivery of cyanoacrylate adhesive to the vein, inducing a foreign body response resulting in fibrosis and closure. Closure rates for CAC are high without use of post procedure compression, which is unique to this nonthermal method of ablation.

C. Definitions

- **Clinical-Etiology-Anatomy-Pathophysiology (CEAP) Classification** – The basis used to categorize the clinical presentation of the patient, the underlying etiology, anatomic veins affected, and the underlying pathology in those veins. The 7 clinical categories are
 - C0 – no visible or palpable signs of venous disease
 - C1 – telangiectasies or reticular veins
 - C2 – varicose veins distinguished from reticular veins by a diameter of 3mm or more
 - C3 – edema
 - C4 – changes in skin and subcutaneous tissue secondary to CVD
 - C4a – pigmentation or eczema
 - C4b – lipodermatosclerosis or atrophie blanche
 - C5 – healed venous ulcer
 - C6 – active venous ulcer

- **Cyanoacrylate Adhesive Closure (CAC)** – A nonthermal ablation technique uses a glue delivered into the saphenous vein using a catheter for access that induces a foreign body reaction leading to inflammation and fibrotic occlusion of the vessel.
- **Saphenous Veins** – Either of two main superficial veins of the leg, one larger than the other. These are
 - **Great Saphenous Vein (GSV)** – Originates in the foot and passes up the medial side of the leg and through the saphenous opening to join the femoral vein.
 - **Small Saphenous Vein (SSV)** – Originates similarly and passes up the back of the leg to join the popliteal vein at the knee.

D. Policy

- I. TrueCare considers saphenous vein ablation with cyanoacrylate adhesive medically necessary when **ALL** of the following are met:
 - A. Failure of ≥ 3 months of conservative treatment, which may include:
 1. weight reduction
 2. exercise plan and prescribed physical activity (walking, treadmill, cycling)
 3. periodic leg elevation
 4. compression therapy
 - B. If contraindicated (ie, suspected or proven peripheral arterial disease, venous leg ulceration, superficial thrombophlebitis, severe peripheral neuropathy), conservative treatment may be waived.
 - C. Documentation in the medical record of CEAP class C2-C6 disease.
 - D. Reflux (> 500 msec), and/or vein diameter ≥ 3 mm, and **ANY** of the following:
 1. ulceration secondary to venous stasis
 2. significant pain or significant edema associated with saphenous reflux that interferes with activities of daily living (ADLs)
 3. hemorrhage or recurrent bleeding associated with ruptured superficial varicosity
 4. recurrent episodes of superficial phlebitis
 5. refractory dependent edema
- II. Non-Covered/Contraindications
 - A. CEAP clinical classification C0-C1 is cosmetic and not medically necessary.
 - B. previous administration of sclerotherapy agent < 6 weeks prior.
 - C. allergy to cyanoacrylate adhesive.
 - D. pregnancy
 - E. recent or acute deep venous thrombosis (DVT)
 - F. severe distal arterial occlusive disease (ankle-brachial index 0.4 or less)
 - G. advanced generalized systemic disease that limits quality-of-life (QOL)
Improvements would require a statement of the objective of treatment in such cases
 - H. failure of a vein closure without recurrent signs or symptoms
 - I. any interventional treatment that uses equipment not approved for such purposes by the FDA
 - J. inability to ambulate

E. Conditions of Coverage
NA

F. Related Policies/Rules
NA

G. Review/Revision History

DATE		ACTION
Date Issued	03/26/2025	New market, approved at Committee
Date Revised		
Date Effective	07/01/2025	
Date Archived		

H. References

1. Moneta G. Classification of lower extremity chronic venous disorders. UpToDate. Updated February 4, 2025. Accessed February 4, 2025. www.uptodate.com
2. Merriam-Webster Medical Dictionary. Saphenous vein. Accessed February 4, 2025. www.merriam-webster.com
3. Saphenous Vein Ablation, Adhesive Injection: A-1024. MCG Health. 28th ed. Accessed February 4, 2025. www.careweb.careguidelines.com
4. Zegarra TI, Tadi P. CEAP classification of venous disorders. *StatPearls*. StatPearls Publishing; 2023. Accessed February 4, 2025. www.ncbi.nlm.nih.gov